

THE ZOOLOGIST:

A MONTHLY JOURNAL

OF

NATURAL HISTORY.

THIRD SERIES—VOL. XIX.

EDITED BY

J. E. HARTING, F.L.S., F.Z.S.,

MEMBER OF THE BRITISH ORNITHOLOGISTS' UNION.

DELECTANDO PARITERQUE MONENDO.

LONDON:

SIMPKIN, MARSHALL, HAMILTON, KENT & CO., LIMITED.

1895.

LONDON:
WEST, NEWMAN AND CO., PRINTERS,
HATTON GARDEN, E.C.



CONTENTS.

ALPHABETICAL LIST OF CONTRIBUTORS.

- ADAMS, LIONEL E.
The Lesser Shrew, 103; Bank Vole in Kent, 427
- APLIN, O. V., M.B.O.U.
On Birds observed in South Wales, 13
- ARCHIBALD, CHARLES F.
Young Pewits and Pheasants swimming, 272; Nesting habits of the Curlew, 274; Nesting habits of the Oystercatcher, 275
- ARMISTEAD, J. J.
Wood Pigeons nesting near the ground, 275
- BARING, HON. CECIL
An expedition to the Salvage Islands, 401
- BARRETT-HAMILTON, G. E. H.
The Irish Stoat distinct from the British species, 124; The Irish Hare turning white in winter, 185
- BARRINGTON, R. M., LL.D., F.L.S.
Nesting of the Goldencrest, 448
- BENSON, REV. CHARLES W., M.A.
Song of the Cirl Bunting, 231; Nightingale singing in July, 232
- BENSON, JOHN, M.A.
Ornithological notes from Norway, 287
- BLAGG, E. W. H.
Manx Shearwater in Carnarvonshire, 188; Marten in Cumberland, 301
- BOULENGER, G. A., F.R.S., F.Z.S.
On the variations of the Viper in Denmark, 60
- BOWLES, E. AUGUSTUS, M.A., F.E.S.
Boar-fish at Teignmouth, 194
- BRADSHAW, GEORGE W.
Ornithological notes from Sussex, 25; Great Northern Diver at Hastings, 68; Thick-knee in Sussex in winter, 68; Richardson's Skua at Hastings, 482; Broad-billed Sandpiper in Sussex, 449; Red-necked Phalarope near St. Leonards, 449
- BRIGGS, C. A.
Supposed breeding of the Crested Lark in Kent, 451
- BUCKNILL, J. A.
The Birds of Surrey, 198; Quail in Surrey, 448
- BUTLER, A. G., PH.D., F.L.S.
Palaornis rosea breeding in confinement, 230; Supposed hybrid between Blackbird and Thrush, 238
- BUTLER, LT.-COL. E. A.
Early laying of Cuckoos, 229; Fearlessness of the Spotted Woodpecker, 271
- BUTTERFIELD, W. C. J. RUSKIN
Cuckoo's egg in Wren's nest, 228; Increase of the Hawfinch in Sussex, 273; The imitative faculty in birds, 303; The Lesser Tern at Dungeness and Pett, 306; The rate of flight in birds, 377; The autumnal movements of Swallows, 379; Kestrel taking young Pheasants, 450
- CAMERON, ALLAN GORDON
The Raven on Sheep Farms, 191
- CAMBRIDGE, REV. O. P., M.A., F.R.S.
Yellow-tailed Squirrels, 103; Blackbird marked like Ring Ouzel, 111; Jack Snipe in Dorsetshire in May, 231
- CARTER, THOMAS
The Sanderling in Australia, 255
- CHARBONNIER, H. F.
Shore Lark and Black Redstart in Gloucestershire, 67
- CHRISTY, MILLER, F.L.S.
Albino Weasel, 19
- CLARKE, WILLIAM J.
Dotterel at Scarborough, 307; Cinnamon Seal at Scarborough, 347; Ray's Sea Bream at Scarborough, 436

COBURN, FREDERICK

On the "hepatic" plumage of the Cuckoo, 321

COCKS, ALFRED HENEAGE, M.A., F.Z.S.

The names of the Mole, 104; Sandwich Terns on the Upper Thames, 190

CORBIN, G. B.

Albino Weasels, 302; Cuckoo's eggs in Whitethroat's nest, 305; The Hawfinch in Hampshire, 308

CORDEAUX, JOHN

Rare British Birds in the Humber District, 56; On some remains of the Urus (*Bos primigenius*) recently found in Yorkshire, 121; Insect migration, 387; Rate of flight of birds on migration, 428

COWARD, T. A.

Manx Shearwater breeding "on the coast of Carnarvonshire, 72, 189; The Mammalian Fauna of Cheshire, 161, 212, 247

DAVENPORT, H. S.

Nesting of the Dunlin in Wales, 275; Alleged abnormal nesting of the Goldcrest in Ireland, 431; Honey Buzzard nesting in Herefordshire, 433; Escape of a caged Eagle, 455

DAVIES, SUTTON A.

In quest of Birds on the Munio River, 326; Ornithological notes from East Kent, 454

DRION, ADOLPHE, JUN.

On the races and varieties of the Polecat, 366

DOBBIE, J. B.

Cuckoo's egg in Whitethroat's nest, 305

ELLIOT, G. F. SCOTT, F.L.S.

Insect migration, 386

ELLIOTT, J. STEELE

The Oystercatcher in Warwickshire, 22; Bank Vole in Bedfordshire, 227; Nesting materials used by the Hawfinch, 232; Observations on the Fauna of St. Kilda, 281; Insect migration, 396; The Field Mouse of the Outer Hebrides, 426

FEILDEN, Col. H. W., C.M.Z.S.

Distribution of the Musk Ox in Greenland, 41; A flying visit to Spitsbergen, 81; Distribution of Pomatorhine Skua in summer, 152; *Larus ridibundus*—assump-

tion of the hood in winter, 192; The rate of flight in birds, 427

FLEMING, Rev. WILLIAM W., M.A.

Marten in Co. Waterford, 301

FOWLER, W. WARDE, M.A.

Date of arrival in England of the Marsh Warbler, 304; Migrating birds rest upon the water, 308

GODFREY, ROBERT

Arctic Tern and Common Gull breeding in Shetland, 349

GORDON, Rev. Prebendary, M.A.

Nutracker near Chichester, 310; Origin of the terms "Cob" and "Pen," 430

GRABHAM, OXLEY, M.A.

Brünnich's Guillemot at Filey, 70; Albino Shrew in Yorkshire, 268; Nesting of the Hawfinch and Greater Spotted Woodpecker, 273; Polygamy in the Starling, 307; Natterer's Bat in Yorkshire, 426; The Lesser Shrew and Water Shrew in Yorkshire, 427

GRANT, W. R. OGILVIE

An expedition to the Salvage Islands, 401

GURNEY, J. H., F.L.S., F.Z.S.

Ornithological notes from Norfolk, 95; Shearwater in Carnarvonshire, 110; Alleged former nesting of Golden Eagle and Goshawk in England, 450

HAIGH, G. H. CATON

Black Guillemot in Merionethshire, 22; Stone Curlew in Lincolnshire in winter, 111; The Irish Hare turning white in winter, 185; Note on the Long-tailed Field Mouse, 187; Water Pipit at Tetney Haven, 348

HAMLING, J. G.

Migration of Pied Wagtails, 347

HAMMOND, W. OXENDEN

Avocet in Kent, 349

HARDBOTTLE, THOMAS

White Hedgehogs, 346

HART, J. H.

A flight of "Parasol Ants," 311

HARTING, J. E., F.L.S., F.Z.S.

Hump-backed Whale on the Lincolnshire coast, 19; Swallows in December, 23; Hybrid Swans, 24; Remarkable invasion of Little Auks, 68; Migration of Grouse, 69; Waxwing in Sussex, 69; Brünnich's Guillemot on the Yorkshire coast, 70;

- Irish Hare turning white in winter, 104, 149; Food of the Dolphin, 105; Local names of Wildfowl, 106; Sea Gulls in London, 109; Two-barred Crossbill in the West of England and Ireland, 110; Memoir of the late A. G. More, 144; Irish names for British animals, 129, 148; Ruff in Sussex in winter, 150; On the proper specific name of the Weasel, 177, 226; Long-tailed Field Mouse, var. *flavicollis*, 187; Sale of Great Auk and egg, 193; Food of Boar-fish, 194; Ancient custom of driving Deer in Cheshire, 215, 216; On the "hepatic" plumage of Cuckoo, 257; Memoir of Prof. Huxley, 263; Sale of Great Auk's egg, 269; Redshank breeding in Sussex, 309; Migration of Butterflies, 335; White Hedgehogs, 347; London Rats crossing the Thames, 347; The ornithologist in Heligoland, 361; On the origin of the terms "Cob" and "Pen," 372; American Yellow-billed Cuckoo in Dorsetshire, 376, 455; Rate of flight in birds, 377-379; Immigration of the Solitary Snipe, 383; The Harvest Mouse, 418; Speed of Homing Pigeons, 441; Rooks planting acorns, 442
- HEWETSON, H. BENDELACK, F.L.S., &c.
Insect migration, 387
- HOLMES, HENRY
Weight of Lobsters, 385
- HORSBRUGH, C. B.
Nesting of the Lesser Spotted Woodpecker near Bath, 22, 273; Ringed Snake laying eggs in captivity, 73; Hobby in Wiltshire, 383
- HUDSON, THOMAS MOORE
Black-winged Stilt in Norfolk, 434
- HUNT, SAMUEL
A white Hare in Essex, 375
- LANGDALE, Rev. H. MARMADUKE
Greenfinch appropriating Thrush's nest, 275; Quails in West Sussex, 310; Tritons devouring Newts, 310; Newt killed by a Bee, 311; Quail in the Isle of Wight, 384
- LANGKAVEL, BERNARD (of Hamburg)
On the geographical distribution of the European and Caucasian Bison, 1
- LAPSWORTH, A. D.
The Black Rat in London, 105
- LILFORD, Right Hon. Lord, F.L.S.
Notes on the Ornithology of Northamptonshire and neighbourhood, 46; Brännich's Guillemot in Cambridgeshire, 109; Hen Harrier in Sussex, 189
- LOAT, W. LEONARD S.
Cuckoo's eggs in Whitethroat's nest, 229
- LOWE, JOHN, M.D., F.L.S.
Food of the Bank Vole, 227
- MACPHERSON, A. HOLTE, M.A., F.Z.S.
Hybrid Finches at the Crystal Palace Bird Show, 110
- MACPHERSON, Rev. H. A., M.A.
Notes on Grouse, 21; Pomatorhine Skua in mid-winter, 22; Red-necked Grebe on the Solway Firth, 66; Eared Grebe in the Hebrides, 66; Food of Firecrest and Little Bustard, 228; Crossbill feeding on insects, 228; Albino and pied varieties, 234; Lesser Spotted Woodpecker in captivity, 306; White-fronted Goose in St. Kilda, 348; Nesting of the Goldcrest, 448
- MAINWARING, C. S.
Black Tern in Wales, 381
- MATHEW, Rev. M. A., M.A., F.L.S.
Pembrokeshire Birds in 1603, 241
- MATTHEWS, Rev. A., M.A.
Waxwing in Leicestershire, 111; Crossbills in Leicestershire, 233
- MITFORD, E. L.
Insect migration, 388
- MITCHELL, A. T.
Abnormal nesting of the Goldcrest in Ireland, 385
- MOSS, Rev. FLETCHER
Local names of Wildfowl, 106
- MURDOCH, GEORGE W.
Harvest Mouse in Shropshire, 447
- MUSTERS, P.
Grey-lag Geese breeding in Nottinghamshire, 111
- NEILSON, RALPH L.
American Yellow-billed Cuckoo in Dorsetshire, 433
- NELSON, T. H.
Origin of the terms "Cob" and "Pen," 431
- NEWTON, Prof. A., M.A., F.R.S.
Local names for Wildfowl, 152
- OLDHAM, CHARLES
The Mammalian Fauna of Cheshire,

- 161, 212, 247; Bank Vole in Anglesea, 302; Grasshopper Warbler in North Wales, 305; Whiskered Bat in Derbyshire, 347; Provincial names of animals, 447
- OLSEN, A. J.**
The Beaver in Norway, 44
- PATERSON, JOHN**
The Little Auk in Scotland, 188
- PARKIN, THOMAS, M.A., F.Z.S.**
Little Crake in Sussex, 309
- PLEYDELL, J. C. MANSEL, F.L.S.**
Adders swallowing their young, 436
- PRIOR, S.**
Insect migration, 435
- RAEBURN, HAROLD**
The names of the Mole, 64, 149; Period of incubation with the Shag, 348
- RALFE, P.**
Winter notes from the Isle of Man, 235
- RAMSBOTHAM, R. H.**
Food of Toad, 385; Adders swallowing their young, 455
- REID, CLEMENT**
The dispersal of acorns by Rooks, 452
- RIDLEY, H. N., M.A., F.L.S.**
On the habits of a Snake (*Macropisthodon rhodomelas*), 112
- ROBINSON, A.**
Bittern in Berkshire, 67
- ROPE, G. T.**
Polecat in Cambridgeshire, 186
- ROSE, B.**
Waxwing in Derbyshire, 69
- SALTER, J. H.**
Wild Cat, Polecat, and Marten in Cardiganshire, 18; Observations on Birds in Mid-Wales, 129, 178, 221, 249; Curious fate of a Cuckoo, 230; The Marten and Polecat in Wales, 268
- SAPSWORTH, A. D.**
Grey Shrike and Pomatorhine Skua in Norfolk, 450; Spoonbill in Norfolk, 450
- SCHARFF, R. F.**
Irish Hare turning white in winter, 149
- SERVICE, ROBERT**
Spread of the Roe-deer in S.W. Scotland, 346; The Marsh Tit in Dumfriesshire, 349; Natterjack Toad in Dumfriesshire, 350; Hybrid Manx Cats—gradual restoration of tail, 375; Distribution of the Alpine Hare in S.W. Scotland, 375; Jackdaws hawking after insects, 381; Hibernation of *Limax flavus*, 386; Insect migration, 389; The Shell Slug in Scotland, 436
- SICH, ALFRED**
Helix rotundata, Müller (sinistrorsum, Taylor), 350
- SKEAT, Rev. Prof. W. W., M.A.**
Origin of the terms "Cob" and "Pen," 431
- SLATER, Rev. HENRY H., M.A.**
Notes on Grouse, 20, 106, 187; Ivory Gull and Dusky Shearwater in Iceland, 23; Distribution of the Pomatorhine Skua in summer, 189
- SOUTHWELL, THOMAS, F.Z.S.**
Grampus on the Norfolk coast, 65, Notes on the Seal and Whale Fishery, 1894, 91
- STARES, JOHN**
Snipe drumming in January, 67
- STOREY, WILLIAM**
Lesser Horseshoe Bat in the Washburn Valley, Yorkshire, 65; Whiskered Bat in Yorkshire, 65; Grebes in Washburn Valley, 66; Ornithological notes from Yorkshire, 234; Breeding of the Goldeneye in the Washburn Valley, 449; Swallows returning to their old nest, 449
- STRONG, Prof. H. A., M.A., LL.D.**
On the names given to the Mole, 11; Origin of the terms "Cob" and "Pen," 429
- SWAILES, G. C.**
Twite nesting in confinement, 381
- SWAINSON, Capt. E. A.**
Black Tern in Wales, 451
- TEESDALE, JOHN H.**
Nest of the Bank Vole, 184; Common and Lesser Terns in the Outer Hebrides, 235
- THEOBALD, F. V., M.A., F.E.S.**
Mollusca injurious to farmers and gardeners, 201
- THOMAS, OLDFIELD, F.Z.S.**
On the proper specific names of the Common Shrews of England and the Continent, 62; The Irish Stoat distinct from the British species, 124, 186; Yellow-tailed Squirrels, 103, 156; On the proper specific name of the Weasel,

- 177, 225; the Irish Stoat in the Isle of Man, 226
- TRISTRAM, Rev. Canon, LL.D., F.R.S.
Roller in Northumberland, 433
- TRUMBALL, J.
Abnormal nesting of the Goldcrest in Ireland, 432
- TUCK, Rev. JULIAN G., M.A.
Waxwing in Suffolk, 69
- WARRAND, Major-General W. E., R.E.
Irish Hare turning white in winter, 104
- WARREN, ROBERT
Irish names for British animals, 148; Notable increase of the Lesser Tern in Co. Mayo, 271
- WHITAKER, J.
Variety of the Hawfinch, 72; Nesting habits of the Common White-throat, 310; Quails in Nottinghamshire, 348
- WHITE, TAYLOR
On the habits of the Kea, or Mountain Parrot of New Zealand, 293
- WINTON, W. E. DE
Seasonal changes of colour in the fur of mammals, 65; The Long-tailed Field Mouse of the Outer Hebrides—a proposed new species, 369, 426, 446; Honey Buzzard nesting in Herefordshire, 382
- WITHERBY, HENRY F.
Wood Pigeon nesting on the ground, 232
- WOLLASTON, A. F. R.
Nesting of the Marsh Warbler near Bath, 304
- YOUNG, JOHN, F.L.S., F.Z.S.
Note on *Turdus alpestris*, 66; Rooks in London, 227

ALPHABETICAL LIST OF SUBJECTS.

- Acorns dispersed by Rooks, 452
- Adders swallowing their young, 436, 456
- Aepyornis*, bones of, 75
- Agrotis graminis*, 343
- Albino Weasels, 19, 302; and pied varieties, 234; Shrew, 268
- Animals, Irish names, 148; wild, killed in Norway in 1894, 425; provincial names, 447
- Antelopes of the Transvaal, 239
- Anthus bertheloti* on Salvage Islands, 403
- Ants, Indian, 157; "Honey," in Natal, 280; "Parasol," in Trinidad, 311
- Arachnida from Arabia, 154
- Asparagus on Salvage Islands, 408
- Auk, Great, sale of, 193,—eggs, sale of, 193, 269,—in St. Kilda, 285; Little, remarkable invasion, 68, 74,—on coasts of Scotland, 151, 188
- Avocet in Kent, 349
- Barnacle in Pembrokeshire, 246
- Bat, Barbastelle, in Cheshire, 166; Daubenton's, in Cheshire, 167; Lesser Horseshoe, in Yorkshire, 65,—in Cheshire, 166; Long-eared, in Cheshire, 166; Natterer's, in Lancashire, 165,—in Yorkshire, 426; Noctule, in Cheshire, 167; Pipistrelle, in Cheshire, 166; Whiskered, in Yorkshire, 65,—in Cheshire, 168,—in Derbyshire, 347
- Beaver in Norway, 44
- Birds observed in S. Wales, 13; rare British, in Humber District, 56; in Mid-Wales, 129, 178, 221, 249; in Pembrokeshire in 1603, 241; of Paradise, moulting, 278; of St. Kilda, 282; imitative faculty in, 303; migrating, resting upon water, 308; on Munio River, 326; altitude of flight, 366; speed on migration, 366; rate of flight, 377, 427, 428, 442
- Bittern in Yorkshire, 67,—in Wales, 184; Little, in Norfolk, 98,—in Wales, 184
- Bison, European and Caucasian, distribution, 1
- Blackbird marked like Ring Ouzel, 111; and Thrush, hybrid, 233
- Bluethroat in Humber District, 57,—in Finland, 328,—migrating, 378

Boar-fish at Teignmouth, 194
 Boar, Wild, in Cheshire, 164,—
 figured, 356

BOOKS REVIEWED:—

The Life and Correspondence of
 William Buckland, by his
 daughter, Mrs. Gordon, 31

Allen's Naturalists' Library, edited
 by R. B. Sharpe:—A Handbook
 to the Marsupialia and Mono-
 tremata, by Richard Lydekker,
 35.—Butterflies, by W. F. Kirby,
 39.—A Handbook to the Pri-
 mates, by H. O. Forbes, 78.—A
 Handbook to the British Mam-
 malia, by R. Lydekker, 119

Sir Victor Brooke, Sportsman and
 Naturalist, edited by Oscar Leslie
 Stephen, 77

A Monograph of the Land and
 Freshwater Mollusca of the
 British Isles, by J. W. Taylor,
 Part I., 79; Part II., 462

The Life of Richard Owen, by his
 grandson, the Rev. R. Owen, 117

Summer Studies of Birds and
 Books, by W. Warde Fowler, 159

Catalogue of the Birds of Prey, with
 the number of specimens in the
 Norwich Museum, by J. H.
 Gurney, 160

The Anatomy, Physiology, Morph-
 ology, and Development of the
 Blow-fly, a Study in the Com-
 parative Anatomy and Morph-
 ology of Insects, by B. Thompson
 Lowne, 199

A Year of Sport and Natural
 History, edited by Oswald Craw-
 furd, 199

Horses, Asses, Zebras, Mules, and
 Mule-breeding, by W. B. Teget-
 meier and C. L. Sutherland, 311

Seventeen Trips through Somali-
 land, with descriptive Notes on
 the Wild Fauna of the Country,
 by Capt. H. G. C. Swayne, R.E.,
 315

London Birds and Beasts, by J. T.
 Tristram Valentine, 318

Forest Birds, their Haunts and
 Habits: Short Studies from Na-
 ture, by Harry F. Witherby, 319
 In Grouseland, by Evan G. Mac-
 kenzie, 320

The Royal Natural History, edited
 by Richard Lydekker, with Pre-
 face by P. L. Sclater, 351

Icebound on Kolguev: a Chapter in
 the Exploration of Arctic Europe,
 to which is added a Record of
 the Natural History of the Island,
 by Aubyn Trevor Battye, 390

The Fauna of British India, in-
 cluding Ceylon and Burma, by
 W. T. Blanford, 394

The New Forest, its Traditions,
 Inhabitants, and Customs, by
 Rose de Crespigny and Horace
 Hutchinson, 395

The Pheasant, by Rev. H. A. Mac-
 pherson, A. J. Stuart Wortley,
 and Alexander Innes Shand, 397

A Preliminary List of the Hem-
 iptera of Colorado, 400

The Natural History of Aquatic
 Insects, by Prof. L. C. Miall, 437

British Birds, by W. H. Hudson,
 with a Chapter on Structure and
 Classification, by F. E. Beddard,
 460

A Handbook of British Lepidoptera,
 by Edward Meyrick, 464

Bos longifrons in Cheshire, 164; *pri-
 migenius* in Yorkshire, 121,—in
 peat-beds in Cheshire, 164

Brambling in Finland, 329

Bream, Ray's Sea, at Scarborough,
 436

Breeding of Manx Shearwater in Car-
 narvonshire, 72; Surinam Water-
 Toad, 75; Grey-lag Goose in
 Nottinghamshire, 111; *Palæornis
 rosea* in confinement, 230; Hobby
 in Norway, 292; Redshank in Sus-
 sex, 309; Arctic Tern and Common
 Gull in Shetland, 349; Goldeneye
 in Washburn Valley, 449; supposed,
 of Crested Lark in Kent, 451

Brock in Cheshire, 219

Bulweria bulweri on Salvage Islands,
 414

Bunting, Cirl, in Cardiganshire, 137,
 —song of, 231; Lapland, in Hum-
 ber District, 59,—in Finland, 329;
 Snow, in Finland, 329; White-
 throated, in Humber District, 59

Bustard, Great, in Norfolk, 95; Little,
 food of, 228

Butterflies, new, from Tropical South
 Africa, 157; migration of, 276, 335,
 386, 387, 388, 389

Buzzard in Wales, 179; Honey, nest-
 ing in Herefordshire, 382, 433;
 Rough-legged, in Wales, 180,—
 and eggs, in Finland, 330

Callidryas hilariae, *C. alcmeone*, *C. pyranthe*, 336
 Canaries on Salvage Islands, 403, 404
Capercaillie in Finland, 332
Cat, Wild, in Cardiganshire, 18; hybrid Manx, 375
Capra cegagrus from Asia Minor, 153
Catophaga galena, 276, 336,—figured, 337
 Cattle, Wild White, at Somerford Park, 212,—figured, 233
 Chameleons, new, from German East Africa, 196
 Chat, Black-throated, in Humber District, 57
 Chough in Wales, 138
 "Cob" and "Pen," origin of terms, 372, 429, 430, 431
 "Cock-shut time," 244
 Coleoptera, variation in size, 280
Colpodaspis pusilla on Devonshire coast, 25
Columba schimperi on Salvage Islands, 403
 COUNTY RECORDS:—
Bedfordshire.—Bank Vole, 227
Berkshire.—Bittern, 67
Cambridgeshire. — Brännich's Guillemot, 109; Polecat, 186
Cheshire. — Mammalian Fauna, 161, 212, 247
Cumberland.—Pomatorhine Skua, 22; Firecrest, 228; Little Bustard, 228; Crossbill, 228; albino and pied varieties, 234; Marten, 301; Lesser Spotted Woodpecker, 306; Goldcrest, 448
Derbyshire.—Waxwing, 69; Jack Snipe, 231; Whiskered Bat, 347
Devonshire.—*Colpodaspis pusilla*, 25; Landrail, 74; Boar-fish, 194; Pied Wagtail, 347
Dorsetshire.—Yellow-tailed Squirrels, 103; Blackbird marked like Ring Ouzel, 111; American Cuckoo, 376, 433, 455; Adders swallowing their young, 436
Essex.—Albino Weasel, 19; white Hare, 375
Gloucestershire.—Shore Lark and Black Redstart, 67
Hampshire.—Snipe drumming in January, 67; Greenfinch appropriating Thrush's nest, 275; albino Weasels, 302; Cuckoo's eggs in Whitethroat's nest, 305; Hawfinch, 303; Tritons devouring Newts, 310; Newt killed by

Bee, 311; Quail, 384; food of Toad, 385
Herefordshire.—Honey Buzzard, 382, 433
Kent.—Little Gull, 74; hybrid Finches, &c., 110; Long-tailed Field Mouse, 187; Cuckoo's egg in Whitethroat's nest, 229; *Palæornis rosea*, 230; hybrid between Blackbird and Thrush, 233; Lesser Tern, 306; Avocet, 349; Bank Vole, 427; Crested Lark, 451; ornithological notes, 454
Lancashire.—Young Peewits and Pheasants swimming, 272; Curlew, 274; Oystercatcher, 275
Leicestershire.—Waxwing, 111; Crossbill, 233; Golden Eagle shot, 434
Lincolnshire. — Hump-backed Whale, 19; rare British birds, 56; Stone Curlew in winter, 111; Water Pipit, 348
Middlesex.—Black Rat, 105; Sea Gulls, 109; Sandwich Tern, 190; Rooks in London, 227; London Rats crossing the Thames, 347; *Helix rotundata*, 350
Norfolk.—Grampus, 65; Little Auk, 68; ornithological notes, 95; Black-headed Gull, 192; Black-winged Stilt, 434; Grey Shrike, 450; Pomatorhine Skua, 450; Spoonbill, 450
Northamptonshire.—Ornithological notes, 46; Waxwing, 70
Northumberland.—Roller, 433
Nottinghamshire.—Variety of Hawfinch, 72; breeding of Greylag Goose, 111; Whitethroat, 310; Quail, 348
Oxfordshire.—Marsh Warbler, 304
Shropshire.—Harvest Mouse, 447
Somersetshire.—Lesser Spotted Woodpecker, 22, 273; Ringed Snake laying in captivity, 73; Two-barred Crossbill, 110; Marsh Warbler, 304; escape of a caged Eagle, 380, 434, 455
Suffolk.—Waxwing, 69; Cuckoo, 229; Spotted Woodpecker, 271
Surrey.—Birds of, 193; Quail, 448
Sussex.—Ornithological notes, 25; Gt. Northern Diver, 68; Thick-knee in winter, 68; Waxwing, 69; Ruff in winter, 150; Hen Harrier, 189; Cuckoo's egg in Wren's nest, 228; Hawfinch,

- 272; imitative faculty in birds, 303; Redshank, 309; Little Crake, 309; Quail, 310; Nutcracker, 310; Swallow, 379; Richardson's Skua, 432; Broad-billed Sandpiper, 449; Red-necked Phalarope, 449; Kestrel taking young Pheasants, 450
Warwickshire.—Oystercatcher, 22; Hawfinch, 232
Wiltshire.—Hobby, 383
Yorkshire.—Siberian Warbler, 26; rare British birds, 56; Lesser Horseshoe Bat, 65; Whiskered Bat, 65; Grebes, 66; Little Auk, 68; migration of Grouse in winter, 69, 108; Brünnich's Guillemot, 70; Urus, 121; ornithological notes, 234; albino Shrew, 268; Hawfinch, 273; Greater Spotted Woodpecker, 273; Dotterel, 307; polygamy in Starling, 307; white Hedgehogs, 346; Common Seal, 347; Natterer's Bat, 426; Lesser Shrew, 427; Water Shrew, 427; Ray's Sea Bream, 436; Goldeneye, 449; Swallows returning to their old nests, 449
 Courser, Cream-coloured, in Cardiganshire, 224
 Crake, Little, in Sussex, 309
 Crane in Humber District, 59,—in Finland, 332,—from its nest to its winter quarters, 382
 Crossbill, European White-winged, in Ireland, 195; Two-barred, in West of England and Ireland, 110; feeding on insects, 228
 Crossbills in Leicestershire, 233
 Cryptoprocta, anatomy of, 239
 Cuckoo, American, in Wales, 143,—in Dorsetshire, 376, 433,—important correction respecting, 455; egg in Wren's nest, 228; eggs in Whitethroat's nest, 229, 305; early laying of, 229; curious fate of a, 230; hepatic plumage of, 237, 257, 321; moulted feathers held by barbed seed-capsules of grass, 277
 Curlew, Stone, in Lincolnshire in winter, 111; nesting habits, 274
 Deer, fondness for musical sounds, 216; Fallow, in Cheshire, 217; Red, in Cheshire, 215,—curious custom of driving, at Lyme, 215
 Dimorphism, seasonal, 198
 Dipper, Black-bellied, in Norfolk, 101
 Distomum, a new, 276
 Diver, Black-throated, and eggs, in Finland, 335; Great Northern, at Hastings, 68; Red-throated, and eggs, in Finland, 335
 Dolphin, food of, 105; Common, in Cheshire, 248; Risso's, figured, 357; White-beaked, in Cheshire, 248
 Dormouse in Cheshire, 171
 Dotterel in Wales, 224,—at Scarborough, 307,—in Finland, 332
 Dove, Schimper's Rock, on Salvage Islands, 403
 Dragonflies, migration of, 340, 343
 Duck, hybrid between Mallard and Teal, 55, 75; hybrid, 239; Eider, in St. Kilda, 285; Long-tailed, in Wales, 256,—in Finland, 331; White-eyed, in Norfolk, 101
 Dunlin nesting in Wales, 275
 Dytiscus marginalis, female with elytra like male, 157
 Eagle, Sea, in Norfolk, 101, 102; Golden, in Finland, 331,—alleged former nesting in England, 450; White-tailed, in Wales, 181,—in St. Kilda, 282,—in Finland, 331; escape of a caged, 380, 434, 455
 Eggs of Great Auk, 193, 269; of Cuckoo in Wren's nest, 228,—in Whitethroat's nest, 229, 305; of Goshawk, Peregrine, Rough-legged Buzzard, Falco gyrfalco, Common Scoter, Red-necked Phalarope, Jack Snipe, Broad-billed Sandpiper, Temminck's Stint, Ruff, Black-throated Diver and Blue-throated Diver in Finland, 330, 332, 333, 335; of Crested Lark in Kent, 451
 Euplœa, E. coras, E. prothœ, 337
 Falcon, Peregrine, eggs in Finland, 330
 Fauna, Mammalian, of Cheshire, 161, 212, 247; of St. Kilda, 281; of Mt. Ruwenzori, 154, 238
 Firecrest, food of, 228
 Fishes, sensory canal system of, 197; Salmonoid, cranial characters of, 197
 Flight in birds, rate of, 377, 427, 428, 441
 Flycatcher, Pied, in Wales, 16, 135; Red-breasted, in Humber District, 58; Spotted, fearlessness of, 271

- Food of Dolphin, 105; Bank Vole, 186, 227; Boar-fish, 194; Fire-crest, 228; Little Bustard, 228; Woodpeckers, 228; Toad, 385
- Fowl, Domestic, language and instincts of, 271
- Fox swimming, 217
- Frogs, South American, nursing habits of, 156
- Frost-fish of New Zealand, 195
- Fulmar in Wales, 254,—in St. Kilda, 286
- Gastropacha neustria, 343
- Gazelle, Loder's, in Western Egypt, 278
- Gecko on Salvage Islands, 415
- Godwit, Bar-tailed, in Finland, 334
- Goldcrest, abnormal nesting of, 385, 431, 432, 448
- Goldeneye nesting in Washburn Valley, 449
- Goosander in Finland, 332
- Goose, Gray-lag, breeding in Nottinghamshire, 111; White-fronted, in St. Kilda, 348; Lesser White-fronted, in Finland, 331
- Goshawk, eggs, in Finland, 330; alleged former nesting in England, 450
- Grampus on Norfolk coast, 65,—in Cheshire, 248
- Grebe, Eared, in Hebrides, 66; Great Crested, in Yorkshire, 66; Red-necked, on Solway Firth, 66; Sclavonian, in Yorkshire, 66
- Greenfinch appropriating Thrush's nest, 275
- Greenshank in Finland, 334
- Grosbeak, Pine, in Finland, 329
- Grouse, notes on, 20, 21, 106, 187; migration in winter, 69, 108; Black, in Cardiganshire and Radnorshire, 183,—in Finland, 332; Red, scarce in Mid-Wales, 183; Willow, in Finland, 332
- Guillemot, Black, in Merionethshire, 22; Brünnich's, on Yorkshire coast, 70, 74,—at Filey, 70,—in Cambridgeshire, 109
- Gull, Black-headed, with hood in winter, 192; Common, breeding in Shetland, 349; Glaucous, in Wales, 250; Iceland, in Wales, 250; Ivory, in Iceland, 23,—in Wales, 252; Little, in Kent, 74; Sabine's, in Wales, 250; Yellow-legged Herring, on Salvage Islands, 414
- Gulls, Sea, in London, 109
- Habits of *Macropisthodon rhodome-las*, 112; and structure of Sea-Otter, 239; Kea, or Mountain Parrot, 293
- Hare, Alpine, in Cheshire, 176,—in S.W. Scotland, 375; Irish, turning white in winter, 104, 149, 185; white, in Essex, 375
- Harrier, Hen, in Wales, 179,—in Sussex, 189; Marsh, in Wales, 179; Montagu's, in Wales, 179
- Hartbeest, Somali, figured, 317
- Hawfinch, variety, 72; nesting materials used by, 232; in Sussex, 272; nesting, 273; in Hampshire, 308
- Hebrides, Eared Grebe in, 66; Terns, 235; Long-tailed Field Mouse, 369, 426, 446
- Hedgehog in Cheshire, 169; new, from Somaliland, 239; white, in Yorkshire, 346
- Heligoland, the ornithologist in, 361
- Helix caperata* figured, 207; *nemoralis* figured, 205; *nivosa* on Salvage Islands, 403; *paupercula* on Salvage Islands, 404; *rotundata* in Middlesex, 350; *truncatula*, figured, 203; *ustulata* on Salvage Islands, 415
- Hen, Hazel, in Finland, 332
- Heronry at Reedham, 98
- Hobby breeding in Norway, 292,—in Wiltshire, 383
- Hoopoe in Wales, 142,—on Salvage Islands, 404
- Humber District—Rare British birds, 56; Ruddy Sheldrake, 59
- Humming-bird from Columbia, 278
- Huxley, Prof. T., memoir of, 263
- Hyastenus, a new Crab, 156
- Hybernia defoliaria, *H. aurantiaria*, 341, 343
- Hybrid Swans, 24; Duck, 75, 239; Finches at Crystal Palace Bird Show, 110; Blackbird and Thrush, 233; Manx Cats, 375
- Hyperoodon rostratus, 247
- Ice-plant on Salvage Islands, 408
- Insect migration, 276, 335, 386, 387, 388, 389, 434, 534
- Insects, aquatic, 437; from Arabia, 154
- IRELAND.—Irish Hare turning white in winter, 104; Two-barred Crossbill, 110; European White-winged Crossbill, 195; Wood Pigeon, 232; Lesser Tern, 270; Marten, 301; Goldcrest, 385, 431, 432, 448

- Isopod (*Ourozeuktes*), structure of, 277
- Jackdaw hawking after insects, 381
- Kea, or Mountain Parrot, habits of, 293
- Kestrel preying on snail (*Helix pisana*), 403; taking young Pheasants, 450
- Kilda, St., fauna of, 281
- Killer, or Grampus, figured, 357
- Kite in Wales, 17, — on Salvage Islands, 404
- Lacerta galloti* on Salvage Islands, 415
- Lagenorhynchus albirostris*, 248
- Landrail in mid-winter, 74
- Lark, Crested, supposed breeding in Kent, 451; Shore, in Gloucestershire, 67, — in Finland, 329; Wood, in Wales, 17
- Larus cachinans* on Salvage Islands, 414
- Latax lutris*, 239
- Latrodectus* 13-guttatus on Salvage Islands, 404
- Legg, John, memoir of, 147
- Lemmings, migration of, 340
- Lemurs, 353
- Lepidoptera, mounting minute, 158; West African, 195
- Libellula quadripunctata*, 341, 343
- Limax flavus*, hibernation of, 386
- Limnæa truncatula* figured, 203
- Limpets, homing instincts in, 73
- Lizard, Long-tailed, on Salvage Islands, 415
- Lobsters, weight of, 385
- Locusts, migration of, 340
- Lorius flavo-palliatu*s, skeleton of, 239
- Lycopersicum esculentum* on Salvage Islands, 408
- Lycosa maderiana* on Salvage Islands, 403
- Macropisthodon rhodomelas*, habits of, 112
- Magot, 353
- Mammals, seasonal changes in fur of, 65; Handbook of British, 119
- Marten in Cardiganshire, 18, — in Cheshire, 217, — in Wales, 268, — in Cumberland, 301, — in Co. Waterford, 301, — in New Forest, 353
- Martens of Hudson's Bay, 155
- Megaptera boops, 247
- Migration, of Grouse in winter, 108; Butterflies, &c., 276, 335, 386, 387, 388, 389, 434; Lemmings, 340, 435; Locusts, 340; Dragonflies, 340, 343, 386, 387; Pied Wagtails, 347; modus operandi of, 362
- Molars of *Microtus agrestis* and *M. glareolus* figured, 172, 173
- Mole, names given to, 11, 64, 104, 149, — in Cheshire, 170
- Mollusca injurious to farmers and gardeners, 201
- More, A. G., memoir of, 144, 446
- Moth, Gamma, on Salvage Island, 415; Vapourer, pupa of, 236
- Mouse, Field, of Hebrides, 369, 426, 446; Harvest, 418, — dimensions, 420, — colour, 420, — in confinement, 421, 423, — period of gestation, 421, — nest, 421, — winter nest, 422, — manner of feeding, 423, — dexterity as a fly-catcher, 424, — its prehensile tail, 425, — in Cheshire, 175, — in Shropshire, 447; Long-tailed Field, in Cheshire, 175, — pale buff variety, 175, — in Kent, 187, — in St. Kilda, 281, — on Salvage Islands, 409, 446
- Mule, supposed fertile female, 314
- Muonio River, birds on, 326
- Mus flavicollis*, 187, 370; *hebridensis*, 369, 370; *sylvaticus*, 187, 369, 370; *sylvaticus hebridensis*, 426
- Musk-ox in Greenland, distribution of, 41
- Natterjack in Dumfriesshire, 350
- Nautilus pompilius*, anatomy of, 278
- Nesting of Lesser Spotted Woodpecker near Bath, 22, 273; Heron, 98; Hawfinch, 232, 273; Wood Pigeon on ground, 232, 275; Spoonbill in Pembroke, 241; Greater Spotted Woodpecker, 273; Curlew, 274; Oystercatcher, 275; Dunlin in Wales, 275; Marsh Warbler near Bath, 304; Common White-throat, 310; Arctic Tern in Finland, 334; Twite in confinement, 381; Honey Buzzard in Herefordshire, 382, 433; abnormal, of Goldcrest, 385, 431, 432, 448; Golden Eagle and Goshawk in England, 450
- Newt killed by Bee, 311
- Nightingale singing in July, 232
- Norway, ornithological notes from, 287; wild animals killed in 1894, 425

- Notes on Grouse, 20, 21, 106, 187,—
on Long-tailed Field Mouse, 175,
187, 281, 446; ornithological, from
Sussex, 25,—Northampton, 46,—
Yorkshire, 234,—Isle of Man, 235,
—Norway, 287,—East Kent, 454
Nutcracker near Chichester, 310
Nuthatch in Breconshire and Rad-
norshire, 141
- Oceanodroma cryptoleucura* on Sal-
vage Islands, 413, 417; leucorrhoea
on Salvage Islands, 413
Orca gladiator, 248
Oriole, Golden, in Wales, 135
Ornithological notes (see Notes)
Ornithorhynchus, embryo, 75
Osprey in Finland, 331
Osteoglossum, features in skull of,
197
Otter in Cheshire, 220
Ouzel, Alpine Ring, in Norfolk, 99;
Ring, var. *alpestris*, in Humber
District, 56,—in Hungary, 66
Owl, Snowy, in Humber District, 59
Oystercatcher in Warwickshire, 22,
—nesting habits, 275
- Palæornis rosea* breeding in confine-
ment, 230
Pardallas on Salvage Islands, 406,
410, 411, 412
Parrot, Mountain, habits of, 293;
Pigmy figured, 359
Parrots, hyoid bone in, 156
Partridge, Red-legged, in Cardigan-
shire, 183
Pelagodroma marina on Salvage Is-
lands, 409, 412, 417,—on Walney
Island, 412
Pelstart, or Pilestart, 106, 152
"Pen" and "Cob," origin of terms,
372, 429, 430, 431
Peripatus from Antigua, 75
Petrel, Bulwer's, on Salvage Islands,
414; Collared, in Wales, 253;
Leach's Fork-tailed, on Salvage
Islands, 413; Square-tailed, on Sal-
vage Islands, 413; White-breasted,
on Salvage Islands, 409, 412, 417,
—on Walney Island, 412
Phalarope, Red-necked, in Finland,
332,—in Sussex, 449
Pheasants swimming, 272; food of,
399; introduction into Ireland, 398;
St. Helena, 398; distribution in
Europe, 398
Phocæna communis, 248
- Pig trained as a pointer, 396
Pigeon, Cape, in Wales, 254; Ho-
ming, speed of, 441; Passenger,
figured, 360; Wood, nesting on
ground, 232, 275
Pilestart, 106
Pilwater, 246
Pipit, Berthelot's, on Salvage Islands,
414, 303; Richard's, in Norfolk,
102; Rock, vinous-breasted, in Nor-
folk, 96; Tree, in Wales, 136;
Water, at Tetney Haven, 348
Plover, Kentish, in Norfolk, 100,
Little Ringed, on Salvage Islands
414
Plumage, hepatic, of Cuckoo, 237,
257, 321
Plusia gamma, 342, 343,—on Salvage
Islands, 415
Polecat in Cardiganshire, 18; in Cam-
bridgeshire, 186; in Cheshire, 218,
—in Wales, 268,—races and varie-
ties of, 366
Porpoise in Cheshire, 248
Potassium hydroxide secreted by in-
sects, 158
Potto, 353
Psilura monacha, 341
Ptarmigan in Finland, 332
Puffin on the Island of St. Davids,
246
Puffinus assimilis on Salvage Islands,
403, 411; kuhli, on Salvage Is-
lands, 402, 406, 410, 411, 412, 414
- Quail in West Sussex, 310; in Not-
tinghamshire, 348; in Isle of
Wight, 384; in Surrey, 448
- Rabbit, black variety, in Cheshire, 176
Rabbits on Salvage Islands, 408, 409
Rat, Black, in London, 105,—in
Cheshire, 175; Brown, in Cheshire,
174; Water, in Cheshire, 172
Rats crossing Thames, 347
Raven in Wales, 139,—on Sheep-
farms, 191
Red-deer heads, photographs of, 196
Roebuck in Cheshire, 164
Roe-deer, spread, in S.W. Scotland,
346
Roes, hays for, 164
Redpoll, Greenland, in Humber Dis-
trict, 58; Mealy, in Finland, 329
Redshank breeding in Sussex, 309
Dusky, in Finland, 334
Redstart in Western Wales, 132;
Black, in Gloucestershire, 67

- Roller in Norfolk, 101; in Northumberland, 433
 Rooks in London, 227; dispersal of acorns by, 452
 Ruff in Sussex in winter, 150,—eggs, in Finland, 333
 Ruwenzori Mt., fauna of, 154, 238
 Salmon in Norfolk, 102
 Salvage Islands, expedition to, 401
 Sanderling in Australia, 236
 Sandpiper, Broad-billed, in Sussex, 449.—eggs, in Finland, 332; Wood, in Norfolk, 99,—in Finland, 333
 Scaup in Finland, 331
 SCIENTIFIC SOCIETIES:—
 Linnean, 25, 74, 113, 153, 194, 236, 276, 456
 Zoological, 27, 75, 114, 155, 196, 238, 277, 458
 Entomological, 29, 176, 115, 157, 197, 240, 279
 Scoter, Common, in Finland, 332; Velvet, in Wales, 256
 SCOTLAND.—Little Auk on east and west coasts, 151, 188; Wood Pigeon, 275; Roe-deer in S.W., 346; hybrid Manx Cat, 375; Alpine Hare in S.W., 375; Jackdaws hawking after insects, 381; *Limax flavus*, 386; Marsh Tit, 349; Natterjack Toad, 350; Shell Slug, 436
 Screamer, Crested, anatomy of, 239
 Seal and Whale fishery, 1894, 91
 Seal, Common, in Dee and Mersey, 221,—at Scarboro', 347,—figured, 355; Grey, in Cheshire, 221; Hooded, on Mersey shore, 221
 Sea-Otter, structure and habits of, 239
 Shag, period of incubation, 348
 Sharks, egg-cases of, 277
 Shearwater, Dusky, in Iceland, 23; Great, on Salvage Islands, 402, 406, 410, 411, 412, 414; Little, on Salvage Islands, 403, 411; Manx, breeding in Carnarvonshire, 72; Mediterranean, on Salvage Islands, 402, 406, 410, 411, 412
 Shearwaters in Carnarvonshire, 110, 188
 Sheep, Barbary, in Egypt, 75
 Sheathbill, Black-billed, captured at sea, 277
 Sheldrake, Ruddy, in Humber District, 59
 Shetland; Arctic Tern and Common Gull breeding in, 349
 Shoveller, 106, 245
 Skua, Great, in Wales, 251; Pomatorhine, in mid-winter, 22,—in summer, 152, 189,—in Wales, 251,—in Norfolk, 450; Richardson's, in Wales, 251,—at Hastings, 432
 Slug, Shell, in Scotland, 436; yellow, hibernation of, 386
 Smeath, 106
 Smew in Wales, 257,—in Finland, 332
 Snake, Ringed, laying in captivity, 73
 Snipe drumming in January, 67; Jack, in May, 231,—eggs, in Finland, 332; Solitary, immigration of, 383
 Solway Firth, Red-necked Grebe on, 66
 Song of Cirl Bunting, 231
 Sparrow, Rock, on Salvage Islands, 403
 Specific stability, entomological queries, 198
 Spiders on Salvage Islands, 404
 Spitzbergen, a flying visit to, 81
 Shrew, Common, 63,—in Cheshire, 169,—albino, in Yorkshire, 268; Lesser, 103,—in Cheshire, 170,—in Yorkshire, 427; Oared, in Cheshire, 170; Pigmy, 63; Water, in Cheshire, 170,—in Yorkshire, 427
 Shrews, specific names of, 62
 Shrike, Great Grey, in Finland, 331; Grey, in Norfolk, 450
 Spoonbill in Norfolk, 97, 450,—in Wales, 184,—nesting in Pembroke-shire, 241; its copped crown, 374
 Squirrel in Cheshire, 171; Flying, from W. Africa, 75
 Squirrels, yellow-tailed, 103, 150
 Starling, polygamy in, 307
 Stoat, in white winter pelage in Cheshire, 219; Irish, distinct from British species, 124, 186,—in Isle of Man, 226
 Stilt, Black-winged, in Norfolk, 434
 Stint, Temminck's, eggs, in Finland, 333
 Swallows in December, 23; autumnal movements, 379; returning to their old nests, 449
 Swannes, a tale of two, 374
 Swans, hybrid, 24
 Tantalus, African, 156
 Tapir, Dow's, 75
Tarentola delalandii on Salvage Islands, 415

- Tern, Arctic, nesting in Finland, 334,
—breeding in Shetland, 349; Black,
in Wales, 451; Common, on Sal-
vage Islands, 416; Lesser, in Co.
Mayo, 270; Sandwich, on Upper
Thames, 190,—at Dungeness and
Pett, 306
- Terns in Outer Hebrides, 235
- Testacella haliotidea in Scotland, 436
- Thick-knee in Sussex in winter, 68
- Thyas, a new freshwater Mite, 156
- Tit, Marsh, in Dumfriesshire, 349;
Northern Marsh, in Finland, 328
- Toad, Natterjack, in Dumfriesshire,
350; food of, 385; Surinam Water,
breeding, 75
- Tomato on Salvage Islands, 408
- Tritons devouring Newts, 310
- Turnstone on Salvage Islands, 414
- Twite nesting in confinement, 381
- Urus in Yorkshire, 121
- Vanessa cardui, 338, 340,—figured,
339
- Variety of Hawfinch, 72; Long-tailed
Field Mouse, 175; Rabbit, 176
- Varieties, albino and pied, 234; and
races of Polecat, 366
- Viper, variations, in Denmark, 60
- Vole, Bank, in Cheshire, 173,—food
of, 186, 227,—in Bedfordshire, 227,
—in Anglesea, 302,—in Kent, 427;
Field, in Cheshire, 172; Water, in
Cheshire, 172
- Wagtail, Pied, migration of, 347
- WALES.—Birds observed in South, 13;
Wild Cat, 18; Marten, 18; Polecat,
18, 286; Black Guillemot, 22; hy-
brid Swan, 24; Manx Shearwater,
72, 110, 188, 189; Birds of Mid
Wales, 129, 178, 221, 249; Cuckoo,
230; Pembrokeshire Birds in 1603,
241; Dunlin, 275; Grasshopper
Warbler, 305; Black Tern, 381,
451
- Warbler, Barred, in Humber District,
57,—in Norfolk, 69,—Garden, in
Wales, 134; Grasshopper, in Wales,
134, 305; Marsh, date of arrival,
304,—near Bath, 304; Siberian, in
Yorkshire, 26; Spectacled, on Sal-
vage Islands, 404, 405; Subalpine,
in St. Kilda, 282; Yellow-browed,
in Humber District, 58,—in Nor-
folk, 100
- Waxwing in Sussex, 69; in Suffolk,
69; in Derbyshire, 69; in North-
amptonshire, 70; in Leicestershire,
111
- Weasel, albino, 19, 302; proper spe-
cific name of, 177, 225
- Whale, Beaked, in Cheshire, 247;
Hump-backed, on Lincolnshire
coast, 19,—in Cheshire, 247
- Whale and Seal fishery, 1884, 91
- Whimbrel in Finland, 334,—on Sal-
vage Islands, 416
- White's 'Selborne,' manuscript of,
147, 185
- Whitethroat, Common, nesting habits
of, 310
- Whyniarden, 246
- Wigeon in Finland, 331; American,
in Yorkshire, 196
- Wildfowl, local names of, 106, 152
- Wolf in Cheshire, 164
- Woodpecker, Greater Spotted, in
Wales, 142; Green, in Wales, 142;
Lesser Spotted, nesting near Bath,
22, 273,—in Wales, 142,—in cap-
tivity, 306
- Woodpeckers, food of, 228
- Wren, Fire-crested, in Humber Dis-
trict, 58; Siberian Willow, in Hum-
ber District, 58; St. Kildian, 283
- Wryneck rare in Wales, 142

ILLUSTRATIONS.

	PAGE
MOLARS OF MICROTUS AGRESTIS AND M. GLAREOLUS	172, 173
LIMNÆA PEREGRA	203
HELIX NEMORALIS ,	205
„ CAPERATA	207
WILD WHITE CATTLE AT SOMERFORD PARK	213
SOMALI HARTEBEEST, <i>Bubalis swaynei</i>	317
CATOPHAGA GALENA, male and female	337
PAINTED LADY, <i>Vanessa cardui</i> , male and female	339
SEAL, <i>Phoca vitulina</i>	355
WILD BOAR, <i>Sus scrofa</i>	356
KILLER, or GRAMPUS, <i>Orca gladiator</i>	357
RISSE'S DOLPHIN, <i>Grampus griseus</i>	357
PIGMY PARROT, <i>Nasiterna pygmæa</i>	359
PASSENGER PIGEON, <i>Columba migratoria</i>	360

